European Journal of Pharmacology, 180 (1990) 395–398
Elsevier

Author index

Akatsuka, N., see Namiki, A. (180) 247
Alouan, L., see Black, J.L. (180) 311
Amerini, S., see Mantelli, L. (180) 325
Antkiewicz-Michaluk, L., Michaluk, J., Romańska, I. and Vetulani, J.
Cortical dihydropyridine binding sites and a behavioral syndrome in morphine-abstinent rats (180) 129
Armour, C.L., see Black, J.L. (180) 311
Assous, E., see Duteil, J. (180) 49

Bang, L., see Nielsen-Kudsk, J.E. (180) 291
Baudrie, V., see Chaouloff, F. (180) 175
Black, J.L., Johnson, P.R.A., Alouan, L. and Armour, C.L.
Neurokinin A with K^+ channel blockade potentiates contraction to electrical stimulation in human bronchus (180) 311
Blackburn, T.P., Cox, B., Thornber, C.W. and Pearce, R.J.
Pharmacological studies in vivo with ICI 169,369, a chemically novel 5-HT_2/5-HT_{1C} receptor antagonist (180) 229
Brănişteanu, D.D., see Serban, D.N. (180) 377
Brănişteanu, D.D.D., see Serban, D.N. (180) 377
Briley, M., see Moret, C. (180) 351
Brønsgaard, A.M., see Nielsen-Kudsk, J.E. (180) 291
Bruno, J.P., see Weihmuller, F.B. (180) 369
Budhram, P., see Deacon, R.M.J. (180) 283
Bunker, C.F., Johnson, M., Gibb, J.W., Bush, L.G. and Hanson, G.R.
Neurochemical effects of an acute treatment with 4-methylaminorex: a new stimulant of abuse (180) 103
Bush, L.G., see Bunker, C.F. (180) 103
Butler, B.T., see Piascik, M.T. (180) 381

Carboni, S., see Pani, L. (180) 85
Caruso, J., see Whitaker-Azmitia, P.M. (180) 305
Cavicchini, E., Spampinato, S. and Ferri, S.
G_i proteins and calcium in dynorphin-induced hypothermia and behaviour (180) 357
Chaouloff, F., Baudrie, V. and Laude, D.
Pentobarbital anaesthesia prevents the adrenaline-releasing effect of the 5-HT_{1A} receptor agonist, 8-hydroxy-2-(di-n-propylamino)tetralin (180) 175
Chiba, K., Horii, H., Kubota, E., Ishizaki, T. and Kato, Y.
Effects of N-methylmercaptoimidazole on the disposition of MPTP and its metabolites in mice (180) 59
Chiossone, D.C., Simon, P.L. and Smith, P.L.
Interleukin-1: effects on rabbit ileal mucosal ion transport in vitro (180) 217
Chiou, W.-F., see Yen, M.-H. (180) 209
Chitano, P., see Mapp, C.E. (180) 113
Christensen, S., see Shalmi, M. (180) 69
Cohen, L.A., see Vonhof, S. (180) 1
Cox, B., see Blackburn, T.P. (180) 229

Deacon, R.M.J., Budhram, P., Thomson, T.A. and Gardner, C.R.
Differential interactions of Ro 15-4513 with benzodiazepines, ethanol and pentobarbital (180) 283
Del Monte, M., Omini, C. and Subissi, A.
Ganglion-blocking agents enhance neurally mediated bronchoconstriction in the guinea-pig: possible role of sensory neuropeptides (180) 239
Demirgören, S., see Mantione, C.R. (180) 393
De Montis, G., see Morelli, M. (180) 365
De Montis, G.M., Devoto, P., Gessa, G.L., Meloni, D., Porcella, A., Saba, P., Serra, G. and Tagliamonte, A.
Central dopaminergic transmission is selectively increased in the limbic system of rats chronically exposed to antidepressants (180) 31
De Montis, G.M., Devoto, P., Gessa, G.L., Porcella, A., Serra, G. and Tagliamonte, A.
Selective adenylate cyclase increase in the limbic area of long-term imipramine-treated rats (180) 169
Devoto, P., see De Montis, G.M. (180) 31
Devoto, P., see De Montis, G.M. (180) 169
Di Chiara, G., see Morelli, M. (180) 365
DiFrancesco, G.F., see Petty, M.A. (180) 119
Dreteler, G.H., Wouters, W. and Saxena, P.R.
Comparison of the cardiovascular effects of the 5-HT_{1A} receptor agonist flesinoxan with that of 8-OH-DPAT in the rat (180) 339
Dubocovich, M.L., see Siuciak, J.A. (180) 387
Duteil, J., Rambert, F.A., Pessonnier, J., Hermant, J.-F., Gombert, R. and Assous, E.
Central α_1-adrenergic stimulation in relation to the behaviour stimulating effect of modafinil; studies with experimental animals (180) 49

Eltze, M.
Telenzepine enantiomers block muscarinic M_1-receptors with opposite kinetics (180) 161

Fabbri, L.M., see Mapp, C.E. (180) 113
Fang, J.-M., see Siuciak, J.A. (180) 387
Ferri, S., see Cavicchini, E. (180) 357
Feuerstein, G.Z., see Vonhof, S. (180) 1
Fillenz, M., see Zetterström, T. (180) 137

0014-2999/90/$03.50 © 1990 Elsevier Science Publishers B.V. (Biomedical Division)

Fitzpatrick, D.F., see Sauro, M.D. (180) 373
Fozard, J.R. and Part, M.L.
No major role for atrial natriuretic peptide in the vasodilator response to endothelin-1 in the spontaneously hypertensive rat (180) 153
Frittoli, E., see Gobbi, M. (180) 183

Gardner, C.R., see Deacon, R.M.J. (180) 283
Geppetti, P., see Mapp, C.E. (180) 113
Gericke, M., Morgenstern, R. and Ott, T.
The influence of tifluadom on cholecystokinin-induced antinociception (180) 187
Gessa, G.L., see De Montis, G.M. (180) 31
Gessa, G.L., see De Montis, G.M. (180) 169
Gessa, G.L., see Pani, L. (180) 85
Gianoulakis, C.
Characterization of the effects of acute ethanol administration on the release of β-endorphin peptides by the rat hypothalamus (180) 21
Gibb, J.W., see Bunker, C.F. (180) 103
Girma, K., see Seensalu, R. (180) 145
Gobbi, M., Frittoli, E. and Mennini, T.
Antagonist properties of 1-(2-pyrimidinyl)piperazine at presynaptic α_2-adrenoceptors in the rat brain (180) 183
Gombert, R., see Duteil, J. (180) 49
Goromaru, T., see Hashimoto, K. (180) 273

Hadjiconstantinou, M., see Weihmuller, F.B. (180) 369
Hanson, G.R., see Bunker, C.F. (180) 103
Harro, J., Lang, A. and Vasar, E.
Long-term diazepam treatment produces changes in cholecystokinin receptor binding in rat brain (180) 77
Hashimoto, K. and Goromaru, T.
High-affinity [^{3}H]6-nitroquipazine binding sites in rat brain (180) 273
Hermant, J.-F., see Duteil, J. (180) 49
Horii, H., see Chiba, K. (180) 59

Ishizaki, T., see Chiba, K. (180) 59

Jin, J.-G., Takaki, M. and Nakayama, S.
Inhibitory effect of capsaicin on the ascending pathway of the guinea-pig ileum and antagonism of this effect by ruthenium red (180) 13
Johnson, M., see Bunker, C.F. (180) 103
Johnson, P.R.A., see Black, J.L. (180) 311
Johnson, S.M.
Opioid inhibition of cholinergic transmission in the guinea-pig ileum is independent of intracellular cyclic AMP (180) 331

Kato, Y., see Chiba, K. (180) 59
Kintz, J., see Petty, M.A. (180) 119
Kobayashi, M., see Yamamoto, M. (180) 319
Koshikawa, N., see Yamamoto, M. (180) 319
Kubota, E., see Chiba, K. (180) 59
Kwok, Y.N. and McIntosh, C.H.S.
Release of substance P-like immunoreactivity from the vascularly perfused rat stomach (180) 201

Labroo, V.M., see Vonhof, S. (180) 1
Lang, A., see Harro, J. (180) 77
Laude, D., see Chaouloff, F. (180) 175
Lazdunski, M., see Séquier, J.-M. (180) 179
Ledda, F., see Mantelli, L. (180) 325
London, E.D., see Mantione, C.R. (180) 393
Löscher, W. and Rundfeldt, C.
Development of tolerance to clobazam in fully kindled rats: effects of intermittent flumazenil administration (180) 255
Lucot, J.B.
RU 24969-induced emesis in the cat: 5-HT$_1$ sites other than 5-HT$_{1A}$, 5-HT$_{1B}$ or 5-HT$_{1C}$ implicated (180) 193

Macovei, C.G., see Serban, D.N. (180) 377
Maggi, C.A., see Mapp, C.E. (180) 113
Männistö, P.T., see Toivonen, M. (180) 91
Mantelli, L., Amerini, S., Rubino, A. and Ledda, F.
Characterization of opioid receptors modulating the function of capsaicin-sensitive neurons in guinea-pig atria (180) 325
Mantione, C.R., Demirgören, S. and London, E.D.
Specific binding of [^{3}H]spermidine to membranes of rat brain (180) 393
Mapp, C.E., Chitano, P., Fabbri, L.M., Patacchini, R., Santicioli, P., Geppetti, P. and Maggi, C.A.
Evidence that toluene diisocyanate activates the efferent function of capsaicin-sensitive primary afferents (180) 113
McCann, D.J. and Su, T.-P.
Haloperidol competitively inhibits the binding of (+)-[^{3}H]SKF-10,047 to σ sites (180) 361
McIntosh, C.H.S., see Kwok, Y.N. (180) 201
Meloni, D., see De Montis, G.M. (180) 31
Mennini, T., see Gobbi, M. (180) 183
Michaluk, J., see Antkiewicz-Michaluk, L. (180) 129
Molino, L.J., see Whitaker-Azmitia, P.M. (180) 305
Morelli, M., De Montis, G. and Di Chiara, G.
Changes in the D$_1$ receptor-adenylate cyclase complex after priming (180) 365
Moret, C. and Briley, M.
Serotonin autoreceptor subsensitivity and antidepressant activity (180) 351
Morgenstern, R., see Gericke, M. (180) 187

Nakahama, H.
Stimulatory effect of cyclosporine A on endothelin secretion by a cultured renal epithelial cell line, LLC-PK1 cells (180) 191
Nakayama, S., see Jin, J.-G. (180) 13
Namiki, A. and Akatsuka, N.
Vascular smooth muscle relaxation induced by epidermal growth factor is endothelium-dependent (180) 247
Neff, N.H., see Weihmuller, F.B. (180) 369

Nielsen-Kudsk, J.E., Bang, L. and Brønsgaard, A.M.
Glibenclamide blocks the relaxant action of pinacidil and cromakalim in airway smooth muscle (180) 291
Nilsson, G., see Seensalu, R. (180) 145

Oles, R., see Singh, L. (180) 391
Omini, C., see Del Monte, M. (180) 239
Ott, T., see Gericke, M. (180) 187
Ozawa, Y., see Yamamoto, M. (180) 319

Pani, L., Gessa, G.L., Carboni, S., Portas, C.M. and Rossetti, Z.L.
Brain dialysis and dopamine: does the extracellular concentration of dopamine reflect synaptic release? (180) 85
Part, M.L., see Fozard, J.R. (180) 153
Patacchini, R., see Mapp, C.E. (180) 113
Pearce, R.J., see Blackburn, T.P. (180) 229
Pessonnier, J., see Duteil, J. (180) 49
Petersen, J.S., see Shalmi, M. (180) 69
Petty, M.A., Kintz, J. and DiFrancesco, G.F.
The effects of taurine on atherosclerosis development in cholesterol-fed rabbits (180) 119
Piascik, M.T., Butler, B.T. and Pruitt, T.A.
The role of α_1-adrenoceptor subtypes in the regulation of arterial blood pressure (180) 381
Porcella, A., see De Montis, G.M. (180) 31
Porcella, A., see De Montis, G.M. (180) 169
Portas, C.M., see Pani, L. (180) 85
Pruitt, T.A., see Piascik, M.T. (180) 381

Rambert, F.A., see Duteil, J. (180) 49
Romańska, I., see Antkiewicz-Michaluk, L. (180) 129
Romell, B., see Seensalu, R. (180) 145
Rossetti, Z.L., see Pani, L. (180) 85
Rubino, A., see Mantelli, L. (180) 325
Rundfeldt, C., see Löscher, W. (180) 255

Saba, P., see De Montis, G.M. (180) 31
Santicioli, P., see Mapp, C.E. (180) 113
Sasamata, M., see Yamamoto, M. (180) 319
Sauro, M.D. and Fitzpatrick, D.F.
Atrial peptides inhibit protein kinase C-mediated contraction in rat aorta (180) 373
Saxena, P.R., see Dreteler, G.H. (180) 339
Schofield, G.G.
Norepinephrine blocks a calcium current of adult rat sympathetic neurons via an α_2-adrenoceptor (180) 37
Seensalu, R., Girma, K., Romell, B. and Nilsson, G.
Time course of inhibition of gastric acid secretion by omeprazole and ranitidine in gastric fistula rats (180) 145
Séquier, J.-M. and Lazdunski, M.
Mast cell degranulating peptide induces the expression of the c-fos proto-oncogene in hippocampus (180) 179
Serban, D.N., Macovei, C.G., Brănişteanu, D.D.D. and Brănişteanu, D.D.
Adenosine alters the vascular effects of a diacylglycerol analogue and polymyxin B (180) 377
Serra, G., see De Montis, G.M. (180) 31
Serra, G., see De Montis, G.M. (180) 169
Shalmi, M., Petersen, J.S. and Christensen, S.
Stereospecificity of the effects of ozolinone on renal hemodynamics and on segmental tubular sodium reabsorption in conscious rats (180) 69
Shemer, A.V., see Whitaker-Azmitia, P.M. (180) 305
Sheu, Y.-Z., see Yen, M.-H. (180) 209
Simon, P.L., see Chiossone, D.C. (180) 217
Singh, L., Oles, R. and Woodruff, G.
In vivo interaction of a polyamine with the NMDA receptor (180) 391
Siuciak, J.A., Fang, J.-M. and Dubocovich, M.L.
Autoradiographic localization of 2-[^{125}I]iodomelatonin binding sites in the brains of C3H/HeN and C57BL/6J strains of mice (180) 387
Smith, P.L., see Chiossone, D.C. (180) 217
Spampinato, S., see Cavicchini, E. (180) 357
Stöcklin, K., see Waldmeier, P.C. (180) 297
Su, T.-P., see McCann, D.J. (180) 361
Subissi, A., see Del Monte, M. (180) 239

Tagliamonte, A., see De Montis, G.M. (180) 31
Tagliamonte, A., see De Montis, G.M. (180) 169
Takaki, M., see Jin, J.-G. (180) 13
Thomson, T.A., see Deacon, R.M.J. (180) 283
Thornber, C.W., see Blackburn, T.P. (180) 229
Toivonen, M. and Männistö, P.T.
Complex actions of serotonergic agonists on cold-stimulated TSH secretion in male rats (180) 91

Vasar, E., see Harro, J. (180) 77
Vetulani, J., see Antkiewicz-Michaluk, L. (180) 129
Vonhof, S., Feuerstein, G.Z., Cohen, L.A. and Labroo, V.M.
Norvaline^2-TRH: binding to TRH receptors in rat brain homogenates (180) 1

Waldmeier, P.C. and Stöcklin, K.
Binding of [^{3}H]brofaromine to monoamine oxidase A in vivo: displacement by clorgyline and moclobemide (180) 297
Weihmuller, F.B., Bruno, J.P., Neff, N.H. and Hadjiconstantinou, M.
Dopamine receptor plasticity following MPTP-induced nigrostriatal lesions in the mouse (180) 369
Whitaker-Azmitia, P.M., Molino, L.J., Caruso, J. and Shemer, A.V.
Serotonergic agents restore appropriate decision-making in neonatal rats displaying dopamine D_1 receptor-mediated vacillatory behavior (180) 305
Woodruff, G., see Singh, L. (180) 391
Wouters, W., see Dreteler, G.H. (180) 339
Wu, C.-C., see Yen, M.-H. (180) 209

Yamamoto, M., Ozawa, Y., Sasamata, M., Koshikawa, N. and Kobayashi, M.
Central dopaminergic actions of YM-14673, a new TRH analogue, in rodents (180) 319

Yen, M.-H., Sheu, Y.-Z., Chiou, W.-F. and Wu, C.-C.
Differential modulation by basilar and mesenteric endothelium of angiotensin-induced contraction in canine arteries (180) 209

Zetterström, T. and Fillenz, M.
Adenosine agonists can both inhibit and enhance in vivo striatal dopamine release (180) 137